

Product Grade

Description



GRADE 888

- A unique silicone low solvent content preparation with a dry feel lubricant deposition on molds.
- It provides extremely low transfer of actives to molded articles and optimum release cycles.
- Tested for non-toxicity, suitable for incidental food contact.
- **Net Contents per can:** 250g
- **Packing:** 24 cans in one corrugated carton




GRADE 8080

- A unique mid molecular weight silicone which deposits as an apparently dry, lubricant mist on molds.
- It provides low transfer of silicone to molded articles and optimum release cycles.
- Tested for non-toxicity, suitable for incidental food contact.
- **Net Contents per can:** 300g
- **Packing:** 24 cans in one corrugated carton



GRADE 8081

- A versatile mid molecular weight silicone which deposits a semi dry, lubricant mist on molds.
- It provides moderate transfer of silicone to molded articles and optimum release cycles.
- Tested for non-toxicity, suitable for incidental food contact.
- **Net Contents per can:** 300g
- **Packing:** 24 cans in one corrugated carton

Product Grade	Description
 <p>GRADE 8082</p>	<ul style="list-style-type: none"> • An extremely popular silicone preparation which deposits as an oily lubricant on molds. • It provides moderate transfer of silicone to molded articles and excellent release cycles. • Tested for non-toxicity, suitable for incidental food contact. • Net Contents per can: 300g • Packing: 24 cans in one corrugated carton
 <p>GRADE 8083</p>	<ul style="list-style-type: none"> • A low molecular weight silicone preparation which has a light and dry lubricant deposition on molds. • It provides least transfer of silicone to molded articles and moderate release cycles. • Tested for non-toxicity, suitable for incidental food contact • Net Contents per can: 250g • Packing: 24 cans in one corrugated carton
 <p>GRADE 8085</p>	<ul style="list-style-type: none"> • A solvent free, virtually odour free silicone preparation which deposits as a dry, non-flowing lubricant mist on molds. • It provides moderate transfer of silicone to molded articles and excellent release cycles. • Tested for non-toxicity, suitable for incidental food contact. • Net Contents per can: 300g • Packing: 24 cans in one corrugated carton

Product Grade

Description



GRADE 8086

- A special silicone preparation with high non-volatile contents which deposits as an oily lubricant mist on molds.
- It provides moderate transfer of silicone to molded articles and excellent release cycles. Often used as a spray lubricant.
- Tested for non-toxicity, suitable for incidental food contact.
- **Net Contents per can:** 300g
- **Packing:** 24 cans in one corrugated carton



GRADE 8088

- A medium molecular weight silicone preparation dispersed in a chlorinated solvent having excellent lubricity and cleaning properties.
- It leaves a wet and oily lubricant deposition on molds.
- It provides optimum transfer of silicone molded articles and excellent release cycles.
- Tested for non-toxicity, suitable for incidental food contact.
- **Net Contents per can:** 400g
- **Packing:** 24 cans in one corrugated carton

Product Grade

Description



GRADE 8801

- A unique siloxane preparation specially designed for Polyurethane mold release having excellent lubricity and a dry appearance lubricant deposition on molds.
- It provides optimum transfer of silicone to molded articles and excellent release cycles.
- Tested for non-toxicity, suitable for incidental food contact.
- **Net Contents per can:** 300g
- **Packing:** 24 cans in one corrugated carton



GRADE 7703

- A specially formulated paintable silicone preparation which deposits as a dry feel lubricant mist on molds.
- It provides low transfer of silicone to molded articles and moderate release cycles.
- The molded articles can be painted, plated, metalized after molding without any degreasing operation.
- Tested for non-toxicity, suitable for incidental food contact.
- **Net Contents per can:** 300g
- **Packing:** 24 cans in one corrugated carton

Product Grade

Description



GRADE 1277

- A special high temperature resistant silicone preparation with high non-volatile contents which deposits as an oily lubricant on molds.
- The silicone fluid can withstand high temperature up to 300°C for long periods without decomposition.
- Often used as a mold release agent for high molding temperatures, as a spinneret lubricant in production of synthetic fiber yarns and as a spray lubricant in high temperature applications.
- Tested for non-toxicity, suitable for incidental food contact.
- **Net Contents per can:** 275g
- **Packing:** 24 cans in one corrugated carton



GRADE 8090

- Semi-Permanent Mold Release, provides a durable parting film which is colorless, heat stable and suitable for all organic rubbers, thermosets and PU.
- In most cases, a single application provides multiple release cycles.
- It is free from Silicone Oil, waxes and other carbonizing materials. It's low solvent content, non-oily type, low deposit, mist spray which ensures negligible transfer of mold release to the molded article. Tested for non-toxicity suitable for incidental food contact.
- **Net Contents per can:** 250g
- **Packing:** 24 cans in one corrugated carton

**HEAVY DUTY SILICONE SPRAY****Product Grade****GRADE 1275****Description**

- A special high temperature resistant silicone fluid dispersed in chlorinated hydrocarbon solvent for use in mold release applications where mold temperatures are over 200°C. Commonly used in metal casting applications.
- Tested for non-toxicity, suitable for incidental food contact.
- **Net Contents per can:** 330g
- **Packing:** 24 cans in one corrugated carton